



Model 4.12.00.4 Citation



No. 4 Citation

- the Citation comes standard with 2" thick back poly (3" available)
- nominal back height for the Citation is 33"
- rear panel of the No. 4 back is one-piece injection molded, high impact HDPE polyethylene
- inner upholstery panel is constructed of 5-ply, 7/16" plywood
- back wings are formed from 14 gauge steel
- seven standard plastic colors
- a 35" high back version is also available

No. 12 Seat

- the No. 12 Seat is available in a serpentine spring support component or with an ergonomic substrate and formed poly cushion
- the foundation is injection molded, glass filled polypropylene which is especially strong but not brittle
- the No. 12 Seat passes the 600 lb. static load test and surpasses 200,000 cycles without failure in the ASTM-851-87 Test Method for Self Rising Seat Mechanisms
- cover utilizes drawstring construction for an unwrinkled appearance and ease of replacement
- seat pivot is covered to prevent tampering
- available in full fold, 3/4 fold (standard) or 1/2 fold options
- available in seven standard plastic colors
- available with decorative wood veneer or upholstered bottom inserts

No. 00 Aisle Panel

- "open" aisle end with an attractive seat landing bracket cover
- available for riser or floor mounting
- available with low voltage LED aisle light
- available with cupholder attachment
- available with tablet arms
- available with four armrest options (comfort curved polymer shown)

No. 4 Chair Platform

- steel standards are constructed from 14 gauge steel and formed into a hexagonal-like column with the seat brackets made from 7 gauge steel, and the formed foot from 12 gauge steel all robotic welded for superior strength
- available in 12 standard powder coat colors
- standards are available floor and riser mount
- available in a variety of floor inclines
- available with four styles of armrests, cupholder attachment or tablet arms